(MR. SPEAKER.)

would be served by holding over this question for some subsequent day. The only thing is, you may reserve this question for the next Assembly.

Sri A. V. NARASIMHA REDDY.—You can hold over the question if the information is not available.

Mr. SPEAKER.—This question does not survive because this Assembly is going to be dissolved. If there is any pressure for holding over this question I do not refuse permission. I will hold over the question and see what can be done in the short time before us.

Representation by the people of Kanakapura Taluk for Extending the Channel of Suvernamukhi Pick-up.

Q.—209. Sri S. KARIAPPA (Virupakshapura).—

Will the Government be pleased to state :—

whether any representation has been received from the people of Aralasandra Thamasandra and Thigalarahalli in Kanakapura Taluk for extending the channel of Suvernamukhi Pick-up as far as Kallahalli tank ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

No.

ಶ್ರೀ ಎಸ್. ಕರಿಯಪ್ಪ.—ಈ "ಪಿಕ್ ಆಪ್" ನಾಲೆಯನ್ನು ಕಲ್ಲಹಳ್ಳಿ ಕೆರೆಯವರೆಗೆ ಬಡಾಯಿಸ ಬೇಕೆಂದು ಅಲ್ಲಿ ಸರ್ವೆ ಮಾಡಿರಲಿಲ್ಲವೆ ?

*ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಆ ಸಮಾಚಾರ ಇಲ್ಲಿಲ್ಲ. ತಾವು ಹೇಳುವ ನಾಲೆಯ ಕೆಳಗಿರುವ ಸುಮಾರು 800—900 ಎಕರೆಗೆ ನೀರು ಸಾಕಾದರೆ ಮುಂದೆ ಅದನ್ನು ಬಡಾಯಿಸಬಹುದು. ಈಗ ಒಂದು ನಾಲೆ ಪೂರೈಸಿದೆ, ಇನ್ನೊಂದು ಆಗುತ್ತಿದೆ. ಇನ್ನೂ ಆ ನಾಲೆಯ ಕೆಳಗಿನ ಪ್ರದೇಶಕ್ಕೆ ಪೂರ್ಣವಾಗಿ ನೀರು ಕೊಟ್ಟಿಲ್ಲ. ಈಗ ಮಾಡಿರುವ ನಾಲೆಯ ಕೆಳಗಿರುವ ಜಮೀನಿಗೆ ನೀರು ಸಾಕಾಗಿ ಇನ್ನೂ ಉಳಿಯುತ್ತದೆಯೆ ಎಂಬುದನ್ನು ಸರ್ವೆ ಮಾಡಿ ಮುಂದೆ ನೀರು ಸರಬರಾಯಿ ಮಾಡಲು ಅವಕಾಶವಿದೆಯೆಂದು ಕಂಡು ಬಂದರೆ ನಾಲೆ ಬಡಾಯಿಸುವುದನ್ನು ಪರಿಶೀಲಿಸಬೇಕಾಗುತ್ತದೆ.

ಶ್ರೀ ಎಸ್. ಕರಿಯಪ್ಪ.—ಆ ತೊರೆಯಲ್ಲಿ ಎಷ್ಟು ಯೂನಿಟ್ ನೀರು ಸಿಕ್ಕುತ್ತದೆಂದು ಲೆಕ್ಕ ಹಾಕಿದೆಯೆ ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಹಾಕಿಲ್ಲ. ಆದರೆ ಆಕ್ಯುಯಲ್ಲಾಗಿ ಈಗ ಒದಗಿಸಬೇಕಾದ ಪ್ರದೇಶಕ್ಕೆ ಸರಬರಾಯಿ ಮಾಡಿದ ಮೇಲೆ ಮುಂದಿನದನ್ನು ನಿರ್ಧರಿಸಬೇಕಾಗುತ್ತದೆ.

Power for Irrigation Purposes in Malur Taluk.

Q.—276 Sri H. C. LINGA REDDY (Malur).—

Will the Government be pleased to state :—

(*a*) when the people from Mindahalli, Bheemanahalli, Bellavi, Byranahalli and Chowramanagala, Malur Taluk, Kolar District, applied for power for irrigation purposes ;

(*b*) the action taken by the Electric Department on the same ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(*a*) Applications for power supply to Irrigation Pumping sets were received on dates noted :—

Name of village		*Date of application*
Mindahalli	...	11-7-1955
Bheemanahalli	...	No requisition
Bellavi	...	20-5-1954
Byranahalli	...	20-3-1956
Chowramangala	...	28-2-1954

(*b*) *Mindahalli.*—Estimate is sanctioned. As parties are not ready, work is not taken up.

Bheemanahalli.—Requisitions not yet received.

Bellavi.—Deposits have not been received so far and estimates have therefore not been prepared.

Byranahalli.—13 applications have been received, 9 applicants have paid deposit in full on 10th December 1956 and the other four have not paid the additional deposits. Estimates are therefore not prepared.

Chowramangala.—Estimate is sanctioned. Service is not given for want of completion report and wiring diagram.

Sri H. C. LINGA REDDY.—With regard to the Byranahalli, has it come to the notice of the Government that an estimate has since been prepared ?